



AG POWER 900

AGRI CRUSHER



HERBST AG POWER 900 CRUSHER

Towable. Powerful. Built for demanding crushing.

- 900 x 450 mm heavy-duty jaw crusher
- Hardox-lined direct-feed hopper
- PTO-driven hydraulic system
- 60–150 mm adjustable crush size
- Output: 60–100 TPH
- Heavy-duty construction
- Handles material up to 400 mm
- Unladen weight: 15,250 kg

Applications:

Recycling, Construction, Demolition, Landscaping, Agricultural yard crushing

Materials Processed:

Stone, Rock, Concrete, Hardcore, Brick, Demolition Waste



Got Questions? Scan to chat on WhatsApp!



Scan for video demonstrations

AG POWER 900 Overview

The AG POWER 900 is a heavy-duty 900 x 450 mm jaw crusher developed for demanding on-site crushing applications.

With a substantial overall construction, Hardox-lined hopper and heavy-duty jaw, it is designed to handle tough material, including rock up to 400 mm, while delivering strong throughput across a wide range of applications.

Powered directly by tractor PTO, the tractor also operates all hydraulic functions, creating a fully integrated crushing solution. Material feeds directly into the jaw chamber, with crush size easily adjusted and processed material discharged onto the rear conveyor for clean stockpiling.

Suitable for demolition, recycling, quarry work, groundworks and agricultural crushing, where durability, capacity and dependable performance are key.

 **Heavy Duty.** Substantial construction built to handle demanding crushing applications.

 **Innovation.** Handles a wide range of materials across multiple on-site applications.


 **Performance.** Strong output with efficient PTO power and easily adjustable crush size.



AG POWER 900 Technical Specifications



Drawings & Key Dimensions



Transport & Working Dimensions

Transport Length / Width / Height (mm)	6,911 / 2,470 / 3,337 (22' 8" / 8' 1" / 10' 11")
Working Length (including conveyor) (mm)	8,969 (29' 5") + tractor unit
Jaw Size (mm)	900 x 450 (36" x 18")
Crush Size (mm)	60 - 150 (2" - 6")
Hopper Width / Length (mm)	2100 / 1700 (6' 11" / 5' 7")
Feed Height from Ground Level (mm)	2260 (7' 5")
Output	60-100 TPH
Power Source	Tractor PTO - 150 HP Minimum
Unladen Weight	15,250 kg



Materials Processed:

- Stone
- Concrete
- Hardcore
- Rock
- Demolition Waste
- Reclaimed Asphalt



Applications:

- Recycling
- Demolition
- Construction
- Quarry Work
- Groundworks
- Site Clearance
- Agricultural Crushing
- Landscaping



+44 (0)28 8077 1568



+44 (0) 7880 073807



info@herbst.co.uk



www.herbstmachinery.com



Specifications may be subject to change without prior notice