



GP28

SCREENER



HERBST GP28 SCREENER

Towable. Versatile. Built for on-site results.

- Simple setup - ready to screen in minutes
- Towable by 4x4 (3,500 kg capacity)
- Diesel - powered hydraulic system
- Folding fines conveyor
- Folding oversize conveyor
- 6.8 kW Yanmar powerpack
- Single deck screen box: 2.2 x 1m
- Unladen weight: 3,350 kg

GP28 Applications:

Recycling, Construction,
Demolition, Landscaping

Materials Processed:

Aggregate, Gravel, Sand,
Soil & Compost, Woodchip



Got Questions? Scan to
chat on WhatsApp!



Scan for video
demonstrations

GP28 Overview

The GP28 SCREENER makes screening on-site simple and efficient. Towable behind any 4x4 with a 3,500 kg capacity, it's quick to deploy and ready to handle a wide variety of materials.

Feed it with a small excavator or skid steer and change the mesh size easily to achieve your required product specification.


Compact but capable, the GP28 delivers strong performance on topsoil, sand, aggregates and demolition waste, while its efficient Stage 5 diesel powerpack ensure low running costs and straightforward maintenance access.

-  **Versatility.** Handles a wide range of materials across multiple applications.
-  **Innovation.** Modern design with efficient power delivery and quick setup.
-  **Performance.** Reliable output with low running costs and easy service access.



GP28 Technical Specifications

Drawings & Key Dimensions



Transport & Working Dimensions

Transport Length / Width / Height (mm)

5500 (18') / 2191 (7' 2") / 2428 (8')

Working Length / Width / Height (mm)

5500 (18') / 6878 (22' 7") / 2048 (6' 8")

Deck Size (mm)

2200 x 990 (7' 2" x 3' 3")

Screening Media Options

Multiple Options Available

Loading Height (mm)

2100 (6' 10")

Stockpile Height (mm)

2120 (6' 11")

Powerpack

Stage 5 Diesel

Unladen Weight

3,350 kg





Materials Processed:

- Aggregate
- Gravel
- Sand
- Soil
- Compost
- Woodchip



GP28 Applications:

- Recycling
- Construction
- Landscaping
- Demolition
- Soil Processing
- Aggregates



+44 (0)28 8077 1568



+44 (0) 7880 073807



info@herbst.co.uk



www.herbstmachinery.com



Specifications may be subject to change without prior notice